

Leica Zeno GIS Equipment List



- when it has to be **right**

Leica
Geosystems

Table of Contents

Leica Zeno GIS	5
1 Zeno 20 Handhelds	5
1.1 Zeno 20 UMTS Handhelds	5
1.2 Zeno 20 CDMA Handhelds	7
1.3 Accessories for Zeno 20 Handhelds	9
1.4 Upgrade Options	9
2 Rugged Android Tablet	10
2.1 Leica Zeno Tab 1	10
2.2 Accessories for Leica Zeno Tab 1	10
3 Rugged PDA	11
3.1 Zeno 5 Rugged PDA	11
3.2 Accessories for Zeno 5 PDA	11
Leica GNSS/GIS SmartAntennas	12
4 Leica GG04 plus Zeno SmartAntenna	12
4.1 Leica GG04 plus Zeno SmartAntenna	12
4.2 Upgrade Options	12
5 Accessory for GG03/GG04/GG04 plus SmartAntenna	13
5.1 Battery	13
5.2 Battery Chargers	13
5.3 Universal Pole Holders	13
5.4 Data Cable	13
5.5 Transport Container	13
5.6 Poles	13
Upgrade Options	14
6 Hardware upgrade option for GG04	14
7 Upgrade options for GG04/GG04 plus	14
8 Upgrade options for GG03, Zeno 20 and CS25 GNSS plus	14
Leica Zeno Software	15
9 Software	15
9.1 Leica Zeno Mobile for Zeno 20	15
9.2 Leica Zeno Mobile for Android smartphones and tablets	15
9.3 Leica Zeno Field	16
9.4 Leica Zeno Connect	16
9.5 Software Overview	17
9.6 Leica Zeno Office	17
9.7 Leica Zeno Office on ArcGIS	17
9.8 Dongle Migration	17
9.9 Software Options for Leica Zeno Office & Leica Zeno Office on ArcGIS	17
9.10 Android ArcGIS Online Packages	18
Leica MobileMatriX	19
10 Software	19
10.1 Software Overview	19
10.2 Leica MobileMatriX Software	19
10.3 Leica MobileMatriX Protected Options	19
10.4 Dongle Migration	20
10.5 Leica MobileMatriX Software Packages	20

Leica GNSS/GIS Rover Packages	21
<hr/>	
11 Leica GNSS/GIS Rover Packages with Leica Zeno Field/Connect/Mobile	21
11.1 Leica Zeno Packages for GG04 plus	21
11.2 Leica Zeno 5 Packages	21
11.3 Leica Zeno 20 Packages UMTS WEH	22
11.4 Leica Zeno 20 Packages CDMA WEH	22
11.5 Leica Zeno 20 Packages Android UMTS	22
11.6 Leica Zeno 20 Packages Android CDMA	23
11.7 Leica GNSS/GIS gamtec Package	23
11.8 Leica ZRover Field Genius Package	23
Care Packages	24
<hr/>	
12 Customer Care Packages	24
Trademarks	25
<hr/>	
13 Trademarks	25
Suggested Packages	26
<hr/>	
14 Ready-to-Start Zeno 20 Handheld Package with Zeno Mobile (6009319)	26
15 Leica Zeno 20 WEH UMTS Zeno Field Pole Pack (6009311)	27
16 Leica Zeno 20 Android CDMA Zeno Mobile Pro gamtec Pack (6009994)	28
17 GG04 plus Tablet Solution (6014276)	29
18 Zeno Field GG04 plus Pack for Zeno 5 (6012663) / Zeno Connect GG04 plus Pack for Zeno 5 (6012664)	30
19 Leica Zeno 5 (6007372)	31
20 Leica Zeno 5 UMTS with Zeno Field SW (6007259) / Zeno Connect SW (6007310)	32

Leica Zeno GIS

1 Zeno 20 Handhelds

1.1 Zeno 20 UMTS Handhelds



Zeno 20 UMTS

827 125	Z20-WEH-UMTS	Zeno 20 WEH UMTS. Zeno 20 GNSS/GIS handheld with 3.75G, WEH 6.5.3 OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/GPS only, 1 Hz GNSS configuration.
827 135	Z20-A-UMTS	Zeno 20 Android UMTS. Zeno 20 GNSS/GIS handheld with 3.75G, Android OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/GPS only, 1 Hz GNSS configuration.

Zeno 20 UMTS WEH/Android Basic

827 126	Z20-WEH-UMTS-B	Zeno 20 WEH UMTS Basic. Leica Zeno 20 GNSS/GIS handheld with 3.75G, WEH 6.5.3 OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/GPS & GLONASS, 1 Hz GNSS configuration.
827 136	Z20-A-UMTS-B	Zeno 20 Android UMTS Basic. Zeno 20 GNSS/GIS handheld with 3.75G, Android OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/GPS & GLONASS, 1 Hz GNSS configuration.

Zeno 20 UMTS WEH/Android Performance

827 127	Z20-WEH-UMTS-P	Zeno 20 WEH UMTS Performance. Zeno 20 GNSS/GIS handheld with 3.75G, WEH 6.5.3 OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/L2, GPS only, 1 Hz GNSS configuration.
827 137	Z20-A-UMTS-P	Zeno 20 Android UMTS Performance. Zeno 20 GNSS/GIS handheld with 3.75G, Android OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/L2, GPS only, 1 Hz GNSS configuration.

Zeno 20 UMTS WEH/Android Professional

827 128	Z20-WEH-UMTS-Pro	Zeno 20 WEH UMTS Professional. Leica Zeno 20 GNSS/GIS handheld with 3.75G, WEH 6.5.3 OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/L2, GPS & GLONASS, 1 Hz GNSS configuration.
827 138	Z20-A-UMTS-Pro	Zeno 20 Android UMTS Professional. Zeno 20 GNSS/GIS handheld with 3.75G, Android OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/L2, GPS & GLONASS, 1 Hz GNSS configuration.

Zeno 20 UMTS WEH/Android Ultimate

827 129	Z20-WEH-UMTS-U	Zeno 20 WEH UMTS Ultimate. Zeno 20 GNSS/GIS handheld with 3.75G, WEH 6.5.3 OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/L2, GPS & GLONASS, 5 Hz GNSS configuration.
827 139	Z20-A-UMTS-U	Zeno 20 Android UMTS Ultimate. Zeno 20 GNSS/GIS handheld with 3.75G, Android OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/L2, GPS & GLONASS, 5 Hz GNSS configuration.

	Zeno 20	Zeno 20 Basic	Zeno 20 Performance	Zeno 20 Professional	Zeno 20 Ultimate
Frequencies	L1 only	L1 only	L1 & L2	L1 & L2	L1 & L2
DGPS Accuracy RTK with Zeno 20 internal antenna	< 50 cm + 1 ppm	< 50 cm + 1 ppm	< 5 cm + 1 ppm	< 5 cm + 1 ppm	< 5 cm + 1 ppm
DGPS Accuracy Post-Processed with Zeno 20 internal antenna	< 50 cm + 1 ppm	< 50 cm + 1 ppm	< 10 cm + 1 ppm	< 10 cm + 1 ppm	< 10 cm + 1 ppm
DGPS Accuracy RTK with AS10 antenna	< 50 cm + 1 ppm	< 50 cm + 1 ppm	< 1 cm + 1 ppm	< 1 cm + 1 ppm	< 1 cm + 1 ppm
DGPS Accuracy Post-Processed with AS10 antenna	< 50 cm + 1 ppm	< 50 cm + 1 ppm	< 1 cm + 1 ppm	< 1 cm + 1 ppm	< 1 cm + 1 ppm
Galileo capable	○	○	○	○	○
BeiDou capable	○	○	○	○	○
GLONASS capable	○	●	○	●	●
Integrated GNSS receiver & antenna	●	●	●	●	●
Integrated SBAS	●	●	●	●	●
Channels	120	120	120	120	120
NMEA output (via Zeno Connect)	●	●	●	●	●
RTCM input	●	●	●	●	●
Raw Data Logging	●	●	●	●	●
5 Hz option	○	○	○	○	●

● Standard

○ Optional

1.2 Zeno 20 CDMA Handhelds



Zeno 20 CDMA

827 130	Z20-WEH-CMDA	Zeno 20 WEH CDMA. Zeno 20 GNSS/GIS handheld with CDMA, WEH 6.5.3 OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/GPS only, 1 Hz GNSS configuration.
827 140	Z20-A-CMDA	Zeno 20 Android CDMA. Zeno 20 GNSS/GIS handheld with CDMA, Android OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/GPS only, 1 Hz GNSS configuration.

Zeno 20 CDMA WEH/Android Basic

827 131	Z20-WEH-CMDA-B	Zeno 20 WEH CDMA Basic. Zeno 20 GNSS/GIS handheld with CDMA, WEH 6.5.3 OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/GPS & GLONASS, 1 Hz GNSS configuration.
827 141	Z20-A-CMDA-B	Zeno 20 Android CDMA Basic. Zeno 20 GNSS/GIS handheld with CDMA, Android OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/GPS & GLONASS, 1 Hz GNSS configuration.

Zeno 20 CDMA WEH/Android Performance

827 132	Z20-WEH-CMDA-P	Zeno 20 WEH CDMA Performance. Zeno 20 GNSS/GIS handheld with CDMA, WEH 6.5.3 OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/L2, GPS only, 1 Hz GNSS configuration.
827 142	Z20-A-CMDA-P	Zeno 20 Android CDMA Performance. Zeno 20 GNSS/GIS handheld with CDMA, Android OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/L2, GPS only, 1 Hz GNSS configuration.

Zeno 20 CDMA WEH/Android Professional

827 133	Z20-WEH-CMDA-Pro	Zeno 20 WEH CDMA Professional. Zeno 20 GNSS/GIS handheld with CDMA, WEH 6.5.3 OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/L2, GPS & GLONASS, 1 Hz GNSS configuration.
827 143	Z20-A-CMDA-Pro	Zeno 20 Android CDMA Professional. Zeno 20 GNSS/GIS handheld with CDMA, Android OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/L2, GPS & GLONASS, 1 Hz GNSS configuration.

Zeno 20 CDMA WEH/Android Ultimate

827 134	Z20-WEH-CMDA-U	Zeno 20 WEH CDMA Ultimate. Zeno 20 GNSS/GIS handheld with CDMA, WEH 6.5.3 OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/L2, GPS & GLONASS, 5 Hz GNSS configuration.
827 144	Z20-A-CMDA-U	Zeno 20 Android CDMA Ultimate. Zeno 20 GNSS/GIS handheld with CDMA, Android OS, 1x battery, AC adaptor, USB cable, handstrap and stylus. L1/L2, GPS & GLONASS, 5 Hz GNSS configuration.

	Zeno 20	Zeno 20 Basic	Zeno 20 Performance	Zeno 20 Professional	Zeno 20 Ultimate
Frequencies	L1 only	L1 only	L1 & L2	L1 & L2	L1 & L2
DGPS Accuracy RTK with Zeno 20 internal antenna	< 50 cm + 1 ppm	< 50 cm + 1 ppm	< 5 cm + 1 ppm	< 5 cm + 1 ppm	< 5 cm + 1 ppm
DGPS Accuracy Post-Processed with Zeno 20 internal antenna	< 50 cm + 1 ppm	< 50 cm + 1 ppm	< 10 cm + 1 ppm	< 10 cm + 1 ppm	< 10 cm + 1 ppm
DGPS Accuracy RTK with AS10 antenna	< 50 cm + 1 ppm	< 50 cm + 1 ppm	< 1 cm + 1 ppm	< 1 cm + 1 ppm	< 1 cm + 1 ppm
DGPS Accuracy Post-Processed with AS10 antenna	< 50 cm + 1 ppm	< 50 cm + 1 ppm	< 1 cm + 1 ppm	< 1 cm + 1 ppm	< 1 cm + 1 ppm
Galileo capable	○	○	○	○	○
BeiDou capable	○	○	○	○	○
GLONASS capable	○	●	○	●	●
Integrated GNSS receiver & antenna	●	●	●	●	●
Integrated SBAS	●	●	●	●	●
Channels	120	120	120	120	120
NMEA output (via Zeno Connect)	●	●	●	●	●
RTCM input	●	●	●	●	●
Raw Data Logging	●	●	●	●	●
5 Hz option	○	○	○	○	●

● Standard

○ Optional

1.3 Accessories for Zeno 20 Handhelds



Battery		
823 054	AZ206	Lithium-Ion battery for Zeno 20, 5200 mAh (19.2 Wh), chargeable.
Car Charger		
823 056	AZ208	12 V car charger for the Zeno 20. Can be used to power and charge the Zeno 20 directly from a cigarette lighter socket.
AC/DC Adaptor		
823 055	AZ207	Desktop charger for Leica Zeno 20 battery (AZ206), including power adaptor.
823 057	AZ209	AC Adaptor for Zeno 20, 110-240 V, to be used in UK, EU, USA and AUS.
Stylus		
823 049	AZ201	Capacitive stylus for Zeno 20 (tether included).
845 670	AZ217	Capacitive stylus for Zeno 20 with a soft rubber tip.
Screen Protection Foil		
823 050	AZ202	Screen protection foil set for Zeno 20, including 2 display foils and a microfibre cleaning cloth.
Memory Device		
823 058	AZ210	Professional 16 GB MicroSD Card for Zeno 20.
Data Transfer Cable		
823 059	AZ211	Data transfer cable (microUSB to USB) for Zeno 20.
Pole Mount and Pole Holder		
823 052	AZ204	Pole mount to attach the Zeno 20 to a Leica GNSS pole, including plate and mount.
767 880	GHT63	Clamp arrangement for attaching the AZ204.
837 437	AZ215	Pole mount to attach the Zeno 20 to a Leica GNSS pole or gamtec setup, plate only.
842 598	AZ216	Telescopic carbon GNSS Monopole for Zeno 20, with various snap locks at 1.10m, 1.20m and 1.30m. AZ215 needs to be ordered separately.
871 532	GHT80	Holder to attach a Leica Zeno20 to a Leica Ultra cable locator. Full package, includes also the Zeno 20 Pole Plate.
Handstrap		
823 051	AZ203	Handstrap for Zeno 20.
Soft Bag		
823 061	AZ213	Softbag for Zeno 20 for transportation and protection against dirt, belt loop included.
Container		
823 060	AZ212	Hard container for Zeno 20, to fit Zeno 20, pole mount, external antenna and accessories in one container.
Disto Mount		
827 546	AZ214	Adaptor to mount Zeno 20 with 823 052 pole plate (not included) onto a Disto FTA360.

1.4 Upgrade Options

 For upgrade options, please refer to "8 Upgrade options for GG03, Zeno 20 and CS25 GNSS plus".

2 Rugged Android Tablet

2.1 Leica Zeno Tab 1



Field Controller

873 929	LZT1E	Leica Zeno Tab 1. Ruggedized 7" touchscreen Android tablet. Comes with Power Adapter, Capacitive Stylus & Tether and Screen Protection Foil. 3 years hardware warranty included. EMEA and APAC version.
875 075	LZT1A	Leica Zeno Tab 1 (AMERICAS). Ruggedized 7" touchscreen Android tablet. Comes with Power Adapter, Capacitive Stylus & Tether and Screen Protection Foil. 3 years hardware warranty included. AMERICAS version.

Field Controller packages

6014276	GG04 plus Tablet Solution	The GG04 plus Tablet Solution package is a ready to start pack that includes: a Leica Zeno Tab 1 Android tablet with 3 years warranty, a GG04 plus Professional Smart Antenna, Zeno Mobile Professional, 1 year Zeno Mobile on Android phone/tablet CCP, a GLS30 carbon fibre pole, Hard Container for Zeno GG04 plus Rover, a universal pole mount, a GEB212 battery and a GLK311 battery charger. EMEA and APAC version.
6014635	GG04 plus Tablet Solution (AMERICAS)	The GG04 plus Tablet Solution package is a ready to start pack that includes: a Leica Zeno Tab 1 Android tablet with 3 years warranty, a GG04 plus Professional Smart Antenna, Zeno Mobile Professional, 1 year Zeno Mobile on Android phone/tablet CCP, a GLS30 carbon fibre pole, Hard Container for Zeno GG04 plus Rover, a universal pole mount, a GEB212 battery and a GLK311 battery charger. AMERICAS version.

2.2 Accessories for Leica Zeno Tab 1




AC/DC Adaptor

873 930	LZT01	AC Adapter for Leica Zeno Tab 1, US/EU/UK/CHN/ANZ (100-240V).
---------	--------------	---



Extra Pen

873 931	LZT02	Capacitive stylus for Leica Zeno Tab 1 (tether included).
---------	--------------	---



Anti-glare Display Foil

873 932	LZT03	Anti-glare screen protection foil for Leica Zeno Tab 1.
---------	--------------	---



Transport Container

873 933	GVP738	Hard container for Leica Zeno GG04 plus Rover, to fit Leica Zeno Tab and Leica Zeno GG04 plus in one container.
---------	---------------	---



Pole Mount

854 154	UVPMSTA	Universal Pole Mount for small Tablets to attach a tablet (7-8" screen) to a Leica GNSS pole, incl. plate and mount.
---------	----------------	--

3 Rugged PDA

3.1 Zeno 5 Rugged PDA



Field Controller

794 106	Zeno 5 UMTS	Zeno 5 UMTS version of a rugged entry level PDA with TI AM3715 Sitara 800 MHz processor, 3.7" screen, QWERTY keyboard, SiRFstarIV GPS receiver, internal 3.8G Modem (Voice and Data), IP54 and Windows Mobile Operating System incl. hand-strap, stylus, battery (3.6 Ah) and display foil.
---------	--------------------	---

3.2 Accessories for Zeno 5 PDA



Battery

794 107	RV3010	RV3010 - Lithium Ion Batteries for Leica Zeno 5, 3600 mAh, rechargeable.
---------	---------------	--

Battery Charger

794 108	RV4001	USB SnapOn module Connector module with power jack (IP54), Micro USB cable for Leica Zeno 5 rugged PDA.
---------	---------------	---

794 109	RV4000	Docking station for Leica Zeno 5 rugged PDA for charging and data transfer to PC. Includes USB data transfer cable and power adaptor.
---------	---------------	---

Car Charger

794 110	RV3050	12V Car charger for the Leica Zeno 5. Can be used to power and charge the Zeno 5 directly from a cigarette lighter.
---------	---------------	---

AC/DC Adaptor

794 111	PS1050-G1	Additional Power Supply (UK/EU/USA/AUS) for Zeno rugged PDA (110-240V).
---------	------------------	---

Extra Pen

795 769	RV6101	Stylus for Zeno 5.
---------	---------------	--------------------

Anti-glare Display Foils

795 770	SPF02	Screen protection foil for Zeno 5.
---------	--------------	------------------------------------

Pole Holder

795 484	GHT55	GHT55, Pole holder base plate to attach the Zeno 5 to a Leica GNSS pole.
---------	--------------	--

767 880	GHT63	Clamp arrangement for attaching the GHT39, GHT56 or GHT62 holder to all poles (except minipoles).
---------	--------------	---

Handstrap

795 771	RV6021	Handstrap for Zeno 5.
---------	---------------	-----------------------

Soft Bag

796 959	GVP706	Soft bag for Zeno 5 GPS handheld for transportation and protection against dirt, including belt loop.
---------	---------------	---

Leica GNSS/GIS SmartAntennas

4 Leica GG04 plus Zeno SmartAntenna


4.1 Leica GG04 plus Zeno SmartAntenna



867 127	GG04 plus BAS	GG04 plus Basic. GPS only SmartAntenna with DGPS processing kernel, L1 only, 20 Hz, 555 channels, upgradeable options, raw data logging support & NMEA streaming. A Zeno Connect license is already included with the GG04 plus in order to use the antenna on Android/iOS mobile devices (smartphones/tablets) via Zeno Connect from the Google Play Store or Apple App Store (iOS).
867 128	GG04 plus PROF	GG04 plus Professional. GPS&Glonass Multi-Frequency GNSS SmartAntenna with RTK processing kernel, 20 Hz, 555 channels, upgradeable options, raw data logging support & NMEA streaming. A Zeno Connect license is already included with the GG04 plus in order to use the antenna on Android/iOS mobile devices (smartphones/tablets) via Zeno Connect from the Google Play Store or Apple App Store (iOS).

	GG04 plus BAS (867 172)	GG04 plus PROF (867 128)
Frequencies	L1 only	Multi-Frequency
Accuracy RTK	< 40 cm	1 cm + 1 ppm
Accuracy Post-Processed	< 40 cm	1 cm + 1 ppm
GLONASS capable	○	●
Galileo capable	○	○
BeiDou capable	○	○
Spot Lite capable	○*	○
Spot Prime capable	○*	○
Integrated GNSS receiver & antenna	●	●
Integrated SBAS	●	●
Channels	555	555
NMEA & Android Location Service output (via Zeno Connect)	●	●
additional BT port for NMEA GNSS metadata	●	●
RTCM input	●	●
Raw Data Logging	●	●
iOS, Android, Windows support	●	●

- Standard
- Optional
- * Only with Multi-Frequency Option bought

 GG04 plus is supported in Zeno Field 3.6 onwards, Zeno Mobile 1.9 onwards and Zeno Connect 3.0 onwards.

4.2 Upgrade Options

 For software & tracking upgrade options please refer to "7 Upgrade Options GG04/GG04 plus".

5 Accessory for GG03/GG04/GG04 plus SmartAntenna

5.1 Battery



772 806	GEB212	Lithium-Ion battery, 7.4V/2.6Ah, rechargeable.
---------	---------------	--

5.2 Battery Chargers



799 185	GKL311	Single-bay Charger Professional 3000. Charger for one Li-Ion battery (GEB211, GEB212, GEB221, GEB222, GEB241, GEB242 and GEB311), including AC/DC adaptor and cigarette lighter cable.
---------	---------------	--



799 187	GKL341	Multi-bay Charger Professional 5000. Charges up to 4 batteries (GEB211, GEB212, GEB221, GEB222, GEB241, GEB242 and GEB311), including power cable.
---------	---------------	--

734 389	GDC221	Car adapter for the GKL341 charger. Allows the use of the GKL341 with a cigarette lighter; 12V/24V DC/DC converter. Can also be used to power CS15 field controller directly from a cigarette lighter.
---------	---------------	--

5.3 Universal Pole Holders



854 153	UVPMSPH	Universal Pole Mount small Smartphones Pole mount to attach a smartphone (up to 3.25"/8 cm phone width) to a Leica GNSS pole, incl. plate and mount.
---------	----------------	---

857 351	UVPMLPH	Universal Pole Mount large Smartphones Pole mount to attach a smartphone (3" - 4.5"/8-11.5 cm phone width) to a Leica GNSS pole, incl. plate and mount.
---------	----------------	--

857 383	UVPMLTA	Universal Pole Mount large Tablets Pole mount to attach a tablet (9 - 10" screen) to a Leica GNSS pole, incl. plate and mount.
---------	----------------	---

854 154	UVPMSTA	Universal Pole Mount for small Tablets to attach a tablet (7-8" screen) to a Leica GNSS pole, incl. plate and mount.
---------	----------------	--

5.4 Data Cable



733 282	GEV162	Data transfer cable 2.8 m.
---------	---------------	----------------------------

767 899	GEV234	Data transfer cable, 2 m, connects GG03/GG04/GG04 plus to USB.
---------	---------------	--

5.5 Transport Container



855 306	GVP734	Small hard container for GG04 plus.
---------	---------------	-------------------------------------

873 933	GVP738	Hard container for Leica Zeno GG04 plus Rover, to fit Leica Zeno Tab and Leica Zeno GG04 plus in one container.
---------	---------------	---

5.6 Poles



768 226	GLS13	Telescopic aluminium GNSS pole with 5/8" screw. Snap locks at 1.80m and 2.00m. Includes circular bubble.
---------	--------------	--

752 292	GLS30	Telescopic carbon GNSS pole with 5/8" screw. Snap locks at 1.80m and 2.00m. Includes circular bubble.
---------	--------------	---

Upgrade Options

6 Hardware upgrade option for GG04

864 664	ServiceUpgradekit	Upgradekit GG04 to GG04 plus (Service) Hardware upgrade to enable iOS support and multiple Bluetooth connections at once (required for example for Collector for ArcGIS high accuracy release).
---------	--------------------------	--

7 Upgrade options for GG04/GG04 plus

844 248	GG04 plus GLO	GG04 Option to upgrade the GG04/GG04 plus to track Glonass.
844 304	GG04 plus BEI	GG04 Option to upgrade the GG04/GG04 plus to track Beidou.
844 306	GG04 plus GAL	GG04 Option to upgrade the GG04/GG04 plus to track Galileo.
844 307	GG04 plus MULTIRTK	Upgrade option to track multiple signals from all activated satellite systems & RTK processing kernel activation.
5307334	GG04 plus SPL1	GG04/GG04 plus upgrade to receive TerraStar L corrections via L-Band to achieve accuracies of about 60 cm. Service valid for 1 year. Multi-Frequency option required.
5307335	GG04 plus SPL2	GG04/GG04 plus upgrade to receive TerraStar L corrections via L-Band to achieve accuracies of about 60 cm. Service valid for 2 years. Multi-Frequency option required.
5307339	GG04 plus SPP1	GG04/GG04 plus upgrade to receive TerraStar C corrections via L-Band to achieve accuracies of about 10 cm. Service valid for 1 year. Multi-Frequency option required.
5307340	GG04 plus SPP2	GG04/GG04 plus upgrade to receive TerraStar C corrections via L-Band to achieve accuracies of about 10 cm. Service valid for 2 years. Multi-Frequency option required.
5307345	GG04 plus SPPTRIAL	GG04/GG04 plus trial upgrade to receive TerraStar C corrections via L-Band to achieve accuracies of about 10 cm. Service valid for one month. Maximum 2 renewals allowed. Multi-Frequency option required.



A re-order of any Spot option will be activated only after expiration of the currently valid option. Therefore, an upgrade of Spot Lite to Spot Prime will be activated after the Spot Lite subscription duration expired, not before.

8 Upgrade options for GG03, Zeno 20 and CS25 GNSS plus

799 793	GSW1136	GLONASS option for Zeno GNSS. GG03, CS25 GNSS and Zeno 20 option to upgrade to L1, GPS/GLONASS, 1 Hz.
799 808	GSW1137	5 Hz option for Zeno GNSS. GG03, CS25 GNSS and Zeno 20 option to upgrade to L1, GPS, 5 Hz.
799 813	GSW1138	GLONASS + 5 Hz option for Zeno GNSS. GG03, CS25 GNSS and Zeno 20 option to upgrade to L1, GPS/GLONASS, 5 Hz.
799 814	GSW1139	L1/L2 option for Zeno GNSS. G03, CS25 GNSS and Zeno 20 option to upgrade to L1/L2, RTK processing kernel, GPS only, 1 Hz.
799 815	GSW1140	L1/L2 + GLONASS option for Zeno GNSS. GG03, CS25 GNSS and Zeno 20 option to upgrade to L1/L2, processing kernel, GPS/GLONASS, 1 Hz.
799 817	GSW1141	L1/L2 + 5 Hz option for Zeno GNSS. GG03, CS25 GNSS and Zeno 20 option to upgrade to L1/L2, processing kernel, GPS only, 5 Hz.
799 820	GSW1142	L1/L2 + GLONASS + 5Hz option for Zeno GNSS. GG03, CS25 GNSS and Zeno 20 option to upgrade to L1/L2, processing kernel, GPS/GLONASS, 5 Hz.
832 687	GSW1322	Galileo option for Leica Zeno GNSS. GG03, CS25 GNSS and Zeno 20 option to upgrade to track Galileo.
828 130	GSW1314	BeiDou option for Leica Zeno GNSS. GG03, CS25 GNSS and Zeno 20 option to upgrade to track BeiDou.

Leica Zeno Software

9 Software

9.1 Leica Zeno Mobile for Zeno 20

832 735	GSW1326	Leica Zeno mobile (Android) Standard on Zeno 20. Leica Zeno mobile on Zeno 20 Standard with Android operating system is an easy to use asset collection software. Protected.
832 737	GSW1327	Leica Zeno mobile (Android) Professional on Zeno 20. Leica Zeno mobile on Zeno 20 Professional with Android operating system is an easy to use asset collection software. The Professional Edition provides in addition e.g. multiple feature editing and Disto S910 support. Protected.
832 738	GSW1328	Leica Zeno mobile (Android) on Zeno 20 Demo. Leica Zeno mobile on Zeno 20 with Android operating system is an easy to use asset collection software. The Demo Edition allows demonstration of Leica Zeno mobile for sales representatives and includes all features of the Professional Edition. Protected. 1-year time limited.
832 739	GSW1329	Leica Zeno mobile (Android) on Zeno 20 Eval. Leica Zeno mobile on Zeno 20 with Android operating system is an easy to use asset collection software. The Evaluation Edition allows customers to evaluate all features and functions of Leica Zeno mobile. Protected. 30 days time limited.
836 673	GSW1465	Upgrade Leica Zeno mobile Standard to Professional. Upgrade article to convert a Leica Zeno mobile Standard license into a Professional license.

9.2 Leica Zeno Mobile for Android smartphones and tablets

871 194	GSW1326	Leica Zeno Mobile 'Standard' for Android phones and tablets. Leica Zeno Mobile 'Standard' for Android phones and tablets is an easy to use asset collection software. Protected.
871 195	GSW1327	Leica Zeno Mobile 'Professional' for Android phones and tablets. Leica Zeno Mobile 'Professional' for Android phones and tablets is an easy to use asset collection software. The 'Professional' Edition provides in addition e.g. multiple feature editing and cable locator support. Protected.
871 196	GSW1328	Leica Zeno Mobile Demo for Android phones and tablets. Leica Zeno Mobile Demo for Android phones and tablets is an easy to use asset collection software. The Demo Edition allows demonstration of Zeno Mobile for sales reps and includes all features of the Professional Edition. Protected. 1-year time limited.
871 198	GSW1329	Leica Zeno Mobile Eval for Android phones and tablets. Leica Zeno Mobile Eval for Android phones and tablets is an easy to use asset collection software. The Evaluation Edition allows customers to evaluate all features and functions of Zeno Mobile. Protected. 30 days time limited.
871 200	GSW1465	Upgrade Leica Zeno mobile for Android phones and tablets Standard to Professional. Upgrade article to convert a Zeno Mobile for Android phones and tablets 'Standard' license into a 'Professional' license.

9.3 Leica Zeno Field

788 867	GSW999	Leica Zeno Field on CS25 plus. Leica Zeno Field on CS25 plus is an OEM version of ArcPad 10 for the CS25 plus Tablet PC and provides in addition: GNSS raw data logging, Real-Time configurations, feature accuracy management and interface to Zeno Office.
788 868	GSW1000	Leica Zeno Field on CS25 Demo. Demo license which allows to demonstration of Zeno Field on CS25. 1-year expiry. Protected.
796 021	GSW1111	Leica Zeno Field (WEH) on Zeno 5/Zeno 20. Leica Zeno Field on Zeno 5 and Zeno 20 with Windows Embedded handheld 6.5.3 operating system is an OEM version of ArcPad 10 and provides in addition: GNSS raw data logging, RTK configurations, feature accuracy management and direct integration into Zeno Office. Protected.
796 022	GSW1112	Leica Zeno Field (WEH) on Zeno 5/Zeno 20 Demo. Leica Zeno Field on Zeno 5 and Zeno 20 with Windows Embedded handheld 6.5.3 operating system Demo license, allows demonstration of Zeno Field for sales representatives.
796 023	GSW1113	Leica Zeno Field (WEH) on Zeno 5/Zeno 20 Eval. Leica Zeno Field on Zeno 5 and Zeno 20 with Windows Embedded handheld 6.5.3 operating system Customer evaluation license (30 days), allows the evaluation of Zeno Field on a Zeno 5 and Zeno 20.

9.4 Leica Zeno Connect

788 866	GSW998	Leica Zeno Connect on CS25 plus. Leica Zeno Connect on CS25 plus is a utility to configure the new Leica Zeno SmartAntennas and to stream NMEA. Leica Zeno Connect on CS25 plus is supporting the CS25 plus. Protected.
788 869	GSW1001	Leica Zeno Connect on CS25 Demo. Demo license which allows to demonstration of Zeno Connect on CS25. 1-year expiry. Protected.
795 772	GSW1110	Leica Zeno Connect (WEH) on Zeno 5/Zeno 20. Leica Zeno Connect on Zeno 5 and Zeno 20 with Windows Embedded handheld 6.5.3 operating system. Leica Zeno Connect is a utility to configure the new Leica Zeno SmartAntennas and to stream NMEA. Protected
797 995	GSW1125	Leica Zeno Connect (WEH) on Zeno 5/20 Demo. Leica Zeno Connect on Zeno 5 and Zeno 20 with Windows Embedded handheld 6.5.3 operating system Demo license, allows demonstration of Leica Zeno Connect for sales representatives.
827 899	GSW1313	Leica Zeno Connect (Android) on Zeno 20. Leica Zeno Connect on Zeno 20 with Android operating system. Leica Zeno Connect on Zeno 20 is a utility to configure the new Leica Zeno 20 to stream your position. Protected.
832 674	GSW1321	Leica Zeno Connect (Android) on Zeno 20 Demo. Leica Zeno Connect on Zeno 20 with Android operating system. Leica Zeno Connect on Zeno 20 is a utility to configure the new Leica Zeno 20 and to stream your position. The Demo Edition allows sales representatives the demonstration of Zeno 20 together with 3rd party software. Protected. 1-year time limited.
832 731	GSW1325	Leica Zeno Connect (Android) on Zeno 20 Eval. Leica Zeno Connect on Zeno 20 with Android operating system. Leica Zeno Connect on Zeno 20 is a utility to configure the new Leica Zeno 20 and to stream your position. The Evaluation Edition allows customers to evaluate the Zeno 20 together with 3rd party software. Protected. 30-days time limited.



Zeno Connect for Android & iOS can be downloaded in the according App Store. All other Leica software has to be purchased and downloaded from myWorld.

9.5 Software Overview

	Leica Zeno Office Basic	Leica Zeno Office Advanced	Leica Zeno Office Professional
L1 Post-Processing	-	●	●
L1/L2 Post-Processing	-	-	●
TPS/Level Processing	○	○	○
Survey Data Synchronization	○	○	○

● Standard
 ○ Optional
 - Not available

9.6 Leica Zeno Office

843 503	GSW1534	Leica Zeno Office Basic. Leica Zeno Office 'Basic' is a software package to maintain, manage and process GIS and GNSS data, COGO computations, layouting & plotting, and provides automated data transfer utilities from and to Leica Zeno Field and Leica SmartWorx. Protected.
843 532	GSW1535	Leica Zeno Office Advanced. In addition to the functionality of Leica Zeno Office 'Basic', the Advanced Edition provides L1 post-processing capabilities. Protected.
843 533	GSW1536	Leica Zeno Office Professional. In addition to the functionality of Leica Zeno Office 'Basic', the Professional Edition provides L1/L2 post-processing capabilities. Protected.

9.7 Leica Zeno Office on ArcGIS

843 542	GSW1537	Leica Zeno Office on ArcGIS Basic. Leica Zeno Office on ArcGIS 'Basic' is an extension to ArcGIS desktop and provides management of GNSS data, and automated data transfer utilities from and to Leica Zeno Field and Leica SmartWorx. Protected.
843 544	GSW1538	Leica Zeno Office on ArcGIS Advanced. In addition to the functionality of Leica Zeno Office on ArcGIS 'Basic', the Advanced Edition provides L1 post-processing capabilities. Protected.
843 546	GSW1539	Leica Zeno Office on ArcGIS Professional. In addition to the functionality of Leica Zeno Office on ArcGIS 'Basic', the Professional Edition provides L1/L2 post-processing capabilities. Protected.

9.8 Dongle Migration

843 608	GSW1574	Zeno Office Dongle Migration to CLM. Order this article to migrate from a Dongle protected to a CLM protected version.
---------	----------------	--

9.9 Software Options for Leica Zeno Office & Leica Zeno Office on ArcGIS

843 551	GSW1542	TPS/Level Option. Processing of TPS and Level measurements in Zeno Office. Protected.
843 552	GSW1543	Survey Data Sync for SQL Option. Synchronisation Option. Synchronising survey data with SQL Server in ArcGIS. Protected.
844 052	GSW1540	Zeno Office L1 Post Processing Option. L1 Post Processing in Zeno Office. Protected.
844 053	GSW1541	Zeno Office L1/L2 Post Processing Option. L1/L2 Post Processing in Zeno Office. Protected.

9.10 Android ArcGIS Online Packages

6011086	Z20AUAOL- PACKUS	Leica Z20 Andr. UMTS AOL Pack (US only). Leica Zeno 20 GNSS/GIS handheld with 3.75G, Android OS, 1x Battery, AC adaptor, USB cable, handstrap and stylus - L1/GPS only/ 1Hz GNSS configuration. ArcGIS Online Level 1 Organisational Plan with 5 Named Users, Zeno Connect (Android) on Zeno 20.
6011087	Z20AUAOL- PACK	Leica Z20 Andr. UMTS AOL Pack (outside US). Leica Zeno 20 GNSS/GIS handheld with 3.75G, Android OS, 1x Battery, AC adaptor, USB cable, handstrap and stylus - L1/GPS only/ 1Hz GNSS configuration. ArcGIS Online Level 1 Organisational Plan with 5 Named Users, Zeno Connect (Android) on Zeno 20.
6011088	Z20CDMA- AOLPackUS	Leica Z20 Andr. CDMA AOL Pack (US only). Leica Zeno 20 GNSS/GIS handheld with CDMA, Android OS, 1x Battery, AC adaptor, USB cable, handstrap and stylus - L1/GPS only/ 1Hz GNSS configuration. ArcGIS Online Level 1 Organisational Plan with 5 Named Users, Zeno Connect (Android) on Zeno 20.

Leica MobileMatriX

10 Software

10.1 Software Overview

	MobileMatriX Std. Edition	MobileMatriX Prof. Edition	MobileMatriX ArcGIS Edition
GNSS Option	○	○	●
GNSS RTK Option	○	○	○
TPS Option	○	○	●
Level Option	○	○	●
Stakeout Option	○	○	●
Layout Option	○	○	●
Georeferencing Option	○	○	●
L1 Post-Processing Option	○	○	○
L1/L2 Post-Processing Option	○	○	○
ArcView OEM licence included	●	-	-
ArcEditor OEM licence included	-	●	-

● Standard
 ○ Optional
 - Not available

10.2 Leica MobileMatriX Software

844 410	GSW1548	Leica MobileMatriX Standard Edition. Single user license for Standard Edition. ESRI ArcView OEM. Protected.
844 411	GSW1549	Leica MobileMatriX Professional Edition Single user license for Professional Edition. ESRI ArcEditor OEM. Protected.
844 412	GSW1552	Leica MobileMatriX on ArcGIS Edition. LEICA MobileMatriX License. Single user license as an extension to ArcGIS. TPS, GPS, Stakeout Georeferencing and Layout Option included. Protected.

10.3 Leica MobileMatriX Protected Options

844 420	GSW1554	TPS option for MobileMatriX. Support of the Leica TPS instruments. Protected option.
844 422	GSW1555	GNSS option for MobileMatriX. Support of the Leica GPS instruments (incl. GS15 and GS10). Protected option.
844 423	GSW1556	Level option for MobileMatriX. Allows the connection to digital Leica levels, storage of measurements, reporting and processing of level lines. Protected option.
844 424	GSW1557	MobileMatriX GNSS RTK Option for MobileMatriX. Allows the connection to the SmartAntenna and the processing of GNSS raw measurements. Protected option.
844 425	GSW1558	Stakeout option for MobileMatriX. Different stakeout methods. Protected option.
844 426	GSW1559	Layout option for MobileMatriX. Layout tools including printing and plotting. Protected option.
844 427	GSW1560	Georeferencing option for MobileMatriX. Supports adding of vector/raster data. Protected option.
844 428	GSW1561	L1 Post-Processing Option for MobileMatriX. Supports the processing of L1 GNSS raw data, as well as the EasyOut and EasyIn process as in Zeno Office. Protected option.
844 429	GSW1562	L1/L2 Post-Processing Option. L1/L2 Post-Processing Option for MobileMatriX. Supports the processing of L1/L2 GNSS raw data, as well as the EasyOut & EasyIn process as in Zeno Office. Protected option.

10.4 Dongle Migration

845 775	GSW1575	Leica MobileMatriX Dongle Migration to CLM. Order this article to migrate from a Dongle protected to a CLM protected version.
---------	----------------	---

10.5 Leica MobileMatriX Software Packages

844 413	GSW1550	Leica MobileMatriX Standard package including all available field options, based on Leica MobileMatriX Standard Edition. The L1 and L1/L2 Options are not included in this package.
844 414	GSW1551	Leica MobileMatriX Professional package including all available field options, based on Leica MobileMatriX Professional Edition. The L1 and L1/L2 Options are not included in this package.
844 415	GSW1553	Leica MobileMatriX on ArcGIS package including all available options, based on Leica MobileMatriX on ArcGIS Edition. The L1 and L1/L2 Options are not included in this package.

Leica GNSS/GIS Rover Packages

11 Leica GNSS/GIS Rover Packages with Leica Zeno Field/Connect/Mobile

11.1 Leica Zeno Packages for GG04 plus

Leica Zeno Field Packages for GG04 plus

6012663	GG04 pl ZF Zeno5	Zeno Field GG04 plus Pack for Zeno 5 is a ready-to-start pack that includes: Zeno 5 UMTS pack, GHT55 Pole Plate, GHT63 Pole Holder, GLS30 GNSS carbon-fibre, pole, GG04 plus Basic SmartAntenna, GVP706 Softbag for Zeno 5, GVP703 Softbag, GEB212 Battery, GKL311 Single-bay Charger Professional 3000, Leica Zeno Field software.
---------	-----------------------------	---

Leica Zeno Connect Packages for GG04 plus

6012664	GG04 pl ZC Zeno5	Zeno Connect GG04 plus Pack for Zeno 5 is a ready-to-start pack that includes: Zeno 5 UMTS pack, GHT55 Pole Plate, GHT63 Pole Holder, GLS30 GNSS carbon-fibre pole, GG04 plus Basic SmartAntenna, GVP706 Softbag for Zeno 5, GVP703 Softbag, GEB212 Battery, GKL311 Single-bay Charger Professional 3000, Leica Zeno Field software.
---------	-----------------------------	--

Leica Zeno Mobile Packages for GG04 plus

6014276	LZGGTSE	The GG04 plus Tablet Solution package is a ready to start pack that includes: a Leica Zeno Tab 1 Android tablet with 3 years warranty, a GG04 plus Professional Smart Antenna, Zeno Mobile Professional, 1 year Zeno Mobile on Android phone/tablet CCP, a GLS30 carbon fibre pole, Hard Container for Zeno GG04 plus Rover, a universal pole mount, a GEB212 battery and a GLK311 battery charger. EMEA and APAC version.
6014635	LZGGTSA (AMERICAS)	The GG04 plus Tablet Solution package is a ready to start pack that includes: a Leica Zeno Tab 1 Android tablet with 3 years warranty, a GG04 plus Professional Smart Antenna, Zeno Mobile Professional, 1 year Zeno Mobile on Android phone/tablet CCP, a GLS30 carbon fibre pole, Hard Container for Zeno GG04 plus Rover, a universal pole mount, a GEB212 battery and a GLK311 battery charger. AMERICAS version.
6014276	LZGGZM	The GG04 plus Zeno Mobile package is a ready to start pack that includes: a GG04 plus Professional Smart Antenna, Zeno Mobile Professional, 1 year Zeno Mobile on Android phone/tablet CCP, a GLS30 carbon fibre pole, a Hard Container for Zeno GG04 plus Rover, a GEB212 battery and a GLK311 battery charger.

11.2 Leica Zeno 5 Packages

6007259	Zeno 5 UMTS pack w ZF is a ready-to-start pack that includes: Zeno 5 UMTS pack, GVP706 Softbag for Zeno 5, Leica Zeno Field on Zeno 5
6007310	Zeno 5 UMTS pack w ZC is a ready-to-start pack that includes: Zeno 5 UMTS pack, GVP706 Softbag for Zeno 5, Leica Zeno Connect on Zeno 5

		Zeno 5 UMTS (794 106)	GVP706 (796 959)	Leica Zeno Field on Zeno 5 (796 021)	Leica Zeno Connect on Zeno 5 (795 772)	RV4001 (794 108)	PS1050-G1 (794 111)
6007259	Zeno 5 UMTS pack w ZF	●	●	●		●	●
6007310	Zeno 5 UMTS pack w ZC	●	●		●	●	●

● Standard

11.3 Leica Zeno 20 Packages UMTS WEH

6009307	Z20WEHUZF-Pack	Leica Zeno 20 WEH UMTS Zeno Field pack. Leica Zeno 20 Package that includes Zeno 20 (with WEH OS, 3.75G), Leica Zeno Field, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap and stylus.
6009308	Z20WEHUZC-Pack	Leica Zeno 20 WEH UMTS Zeno Connect pack. Leica Zeno 20 Package that includes Zeno 20 (with WEH OS, 3.75G), Leica Zeno Connect, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap and stylus.
6009310	Z20WEHUZC-PolePack	Leica Zeno 20 WEH UMTS Zeno Connect Pole pack. Leica Zeno 20 Pole Package that includes Zeno 20 (with WEH OS, 3.75G), Leica Zeno Connect, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap, stylus, carbon pole, pole mount bracket, pole plate, AS10 antenna, 1.2 m external antenna cable and hard container.
6009311	Z20WEHUZF-PolePack	Leica Zeno 20 WEH UMTS Zeno Field Pole pack. Leica Zeno 20 Pole Package that includes Zeno 20 (with WEH OS, 3.75G), Leica Zeno Field, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap, stylus, carbon pole, pole mount bracket, pole plate, AS10 antenna, 1.2 m external antenna cable and hard container.

11.4 Leica Zeno 20 Packages CDMA WEH

6009313	Z20WEHCZF-Pack	Leica Zeno 20 WEH CDMA Zeno Field pack. Leica Zeno 20 Package that includes Zeno 20 (with WEH OS, CDMA), Leica Zeno Field, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap and stylus.
6009314	Z20WEHCZC-Pack	Leica Zeno 20 WEH CDMA Zeno Connect pack. Leica Zeno 20 Package that includes Zeno 20 (with WEH OS, CDMA), Leica Zeno Connect, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap and stylus.
6009316	Z20WEHCZC-PolePack	Leica Zeno 20 WEH CDMA Zeno Connect Pole pack. Leica Zeno 20 Pole Package that includes Zeno 20 (with WEH OS, CDMA), Leica Zeno Connect, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap, stylus, carbon pole, pole mount bracket, pole plate, AS10 antenna, 1.2 m external antenna cable and hard container.
6009317	Z20WEHCZF-PolePack	Leica Zeno 20 WEH CDMA Zeno Field Pole pack. Leica Zeno 20 Pole Package that includes Zeno 20 (with WEH OS, CDMA), Leica Zeno Field, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap stylus, carbon pole, pole mount bracket, pole plate, AS10 antenna, 1.2 m external antenna cable and hard container.

11.5 Leica Zeno 20 Packages Android UMTS

6009318	Z20AUPACK	Zeno 20 Android UMTS Handheld Package. Leica Zeno 20 Package that includes Zeno 20 (with Android OS, 3.75G), 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap and stylus.
6009319	Z20AUZM-Pack	Leica Zeno 20 Android UMTS Zeno Mobile pack. Leica Zeno 20 Package that includes Zeno 20 (with Android OS, 3.75G), Leica Zeno Mobile, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap and stylus.
6009320	Z20AUZC-Pack	Leica Zeno 20 Android UMTS Zeno Connect pack. Leica Zeno 20 Package that includes Zeno 20 (with Android OS, 3.75G), Leica Zeno Connect, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap and stylus.
6009322	Z20AUZC-PolePack	Leica Zeno 20 Android UMTS Zeno Connect Pole pack. Leica Zeno 20 Pole Package that includes Zeno 20 (with Android OS, 3.75G), Leica Zeno Connect, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap stylus, carbon pole, pole mount bracket, pole plate, AS10 antenna, 1.2 m external antenna cable and hard container.
6009323	Z20AUZM-PolePack	Leica Zeno 20 Android UMTS Zeno Mobile Pole pack. Leica Zeno 20 Pole Package that includes Zeno 20 (with Android OS, 3.75G), Leica Zeno Mobile, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap stylus, carbon pole, pole mount bracket, pole plate, AS10 antenna, 1.2 m external antenna cable and hard container.

11.6 Leica Zeno 20 Packages Android CDMA

6009326	Z20ACZM-Pack	Leica Zeno 20 Android CDMA Zeno Mobile pack. Leica Zeno 20 Package that includes Zeno 20 (with Android OS, CDMA), Leica Zeno Mobile, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap and stylus.
6009327	Z20ACZC-Pack	Leica Zeno 20 Android CDMA Zeno Connect pack. Leica Zeno 20 Package that includes Zeno 20 (with Android OS, CDMA), Leica Zeno Connect, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap and stylus.
6009329	Z20ACZC-PolePack	Leica Zeno 20 Android CDMA Zeno Connect Pole pack. Leica Zeno 20 Pole Package that includes Zeno 20 (with Android OS, CDMA), Leica Zeno Connect, 1x battery for Zeno 20, AC adaptor, USB cable, softbag handstrap, stylus, carbon pole, pole mount bracket, pole plate, AS10 antenna, 1.2 m external antenna cable and hard container.
6009330	Z20ACZM-PolePack	Leica Zeno 20 Android CDMA Zeno Mobile Pole pack. Leica Zeno 20 Pole Package that includes Zeno 20 (with Android OS, CDMA), Leica Zeno Mobile, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap, stylus, carbon pole, pole mount bracket, pole plate, AS10 antenna, 1.2 m external antenna cable and hard container.

11.7 Leica GNSS/GIS gamtec Package

6009995	Z20ACZM-Progamtec-Pack	Leica Zeno 20 Android UMTS Zeno Mobile Pro gamtec pack. Leica Zeno 20 gamtec Package that includes Zeno 20 (with Android OS, UMTS), Zeno Mobile Professional, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap, Disto S910, Disto mount, FTA360, photo tripod and stylus.
6009994	Z20ACZM-Progamtec-Pack	Leica Zeno 20 Android CDMA Zeno Mobile Pro gamtec pack. Leica Zeno 20 gamtec Package that includes Zeno 20 (with Android OS, CDMA), Zeno Mobile Professional, 1x battery for Zeno 20, AC adaptor, USB cable, softbag, handstrap, Disto S910, Disto mount, FTA360, photo tripod and stylus.

11.8 Leica ZRover Field Genius Package

6012378	Z20WZCFG-Pack	Leica Zeno 20 Windows UMTS Zeno Connect & FieldGenius pack. Leica Zeno 20 Package that includes Zeno 20 (with WEH OS, UMTS), Zeno Connect, 1 year Zeno Connect CCP, FieldGenius Standard, 1x battery for Zeno 20, AC adaptor, USB cable, handstrap, stylus, carbon pole, pole mount bracket, pole plate, AS10 antenna, 1.2 m external antenna cable and hard container.
---------	----------------------	---

Care Packages

12 Customer Care Packages



A wide selection of comprehensive Customer Care Packages (CCPs) is available bundling Hardware Maintenance, Software Maintenance, Customer Support and Extended Warranty.
For more information about the CCP offering in your country please contact your local Leica Geosystems organization or distribution partner.

Trademarks

13 Trademarks

ArcPad™ is a registered trademark of Environmental System Research Institute Inc. Redlands, USA.

ESRI word mark is owned by ESRI Inc, USA.

The *Bluetooth*® word mark and logos are owned by Bluetooth SIG, Inc. and any use of such marks by Leica Geosystems AG is under license.

SD is a trademark of the SD Card Association.

Microsoft, Windows® and the Windows logo are either registered trademarks or trademarks of Microsoft Corporation in the United States and / or other countries.

Android™ is a trademark of Google Inc.


Apple is a trademark of Apple Inc., registered in the U.S. and other countries.

IOS is a trademark or registered trademark of Cisco in the U.S. and other countries and is used under license.


Other trademarks and trade names are those of their respective owners.

Suggested Packages

14 Ready-to-Start Zeno 20 Handheld Package with Zeno Mobile (6009319)




15 Leica Zeno 20 WEH UMTS Zeno Field Pole Pack (6009311)




16 Leica Zeno 20 Android CDMA Zeno Mobile Pro gamtec Pack (6009994)



17 GG04 plus Tablet Solution (6014276)




18 Zeno Field GG04 plus Pack for Zeno 5 (6012663) / Zeno Connect GG04 plus Pack for Zeno 5 (6012664)



19 Leica Zeno 5 (6007372)



20 Leica Zeno 5 UMTS with Zeno Field SW (6007259) / Zeno Connect SW (6007310)



Revolutionising the world of measurement and survey for nearly 200 years, Leica Geosystems creates complete solutions for professionals across the planet. Known for premium products and innovative solution development, professionals in a diverse mix of industries, such as surveying and engineering, safety and security, building and construction, and power and plant, trust Leica Geosystems to capture, analyse and present smart geospatial data. With the highest-quality instruments, sophisticated software and trusted services, Leica Geosystems delivers value every day to those shaping the future of our world.

Leica Geosystems is part of Hexagon (Nasdaq Stockholm: HEXA B; hexagon.com), a leading global provider of information technologies that drive quality and productivity improvements across geospatial and industrial enterprise applications.



Illustrations, descriptions and technical specifications are not binding and may change.
Printed in Switzerland - Copyright Leica Geosystems AG, Heerbrugg, Switzerland, 2017.
776619 - 6.1.0en - VI.18

Leica Geosystems AG
Heinrich-Wild-Strasse
CH-9435 Heerbrugg
Switzerland
Phone +41 71 727 31 31
www.leica-geosystems.com

- when it has to be **right**

Leica
Geosystems